L Number	Hits	Search Text	DB	Time stamp
1 *	109020	(GUI or (user adj interface) or (graphic\$4 adj user adj interface))	USPAT; US-PGPUB; EPO; JPO;	2004/06/01 14:26
2	7322	((GUI or (user adj interface) or (graphic\$4 adj user adj interface))) and execut\$6 near9 (sequence or workflow or	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/06/01 14:48
3	796	(((GUI or (user adj interface) or (graphic\$4 adj user adj	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/06/01 14:42
		interface))) and execut\$6 near9 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$3)) or (data near collect\$4) or OLAP) and (databases! or (data adj bases!))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
4	116	((((GUI or (user adj interface) or (graphic\$4 adj user adj interface))) and execut\$6 near9 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$3)) or (data near collect\$4) or OLAP) and (databases! or (data adj bases!))) and (decision adj making) and (decision near6 (maker or made or making))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:42
5	42	(((((GUI or (user adj interface) or (graphic\$4 adj user adj interface))) and execut\$6 near9 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$3)) or (data near collect\$4) or OLAP) and (databases! or (data adj bases!))) and (decision adj making) and (decision near6 (maker or made or making))) and query and (analyz\$6 and analysis) and (distribution and (distribute or distributed or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:43
6	4	distributing)) ((((((GUI or (user adj interface) or (graphic\$4 adj user adj interface))) and execut\$6 near9 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$3)) or (data near collect\$4) or OLAP) and (databases! or (data adj bases!))) and (decision adj making) and (decision near6 (maker or made or making))) and query and (analyz\$6 and analysis) and (distribution and (distribute or distributed or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:41
7	20	distributing))) and quer\$5 same analy\$6 same distributed of distributing))) and quer\$5 same analy\$6 same distribut\$5 ((((((GUI or (user adj interface) or (graphic\$4 adj user adj interface))) and execut\$6 near9 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$3)) or (data near collect\$4) or OLAP) and (databases! or (data adj bases!))) and (decision adj making) and (decision near6 (maker or made or making))) and query and (analyz\$6 and analysis) and (distribution and (distribute or distributed or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:39
8	29	distributing))) and (707/\$.ccls. or 705/\$.ccls. or 345/\$.ccls.) ((((((GUI or (user adj interface) or (graphic\$4 adj user adj interface))) and execut\$6 near9 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$3)) or (data near collect\$4) or OLAP) and (databases! or (data adj bases!))) and (decision adj making) and (decision near6 (maker or made or making))) and query and (analyz\$6 and analysis) and (distribution and (distribute or distributed or distributing))) and (707/\$.ccls. or 705/\$.ccls. or 345/\$.ccls. or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:44
9	482	709/\$.ccls. or 717/\$.ccls.) (((GUI or (user adj interface) or (graphic\$4 adj user adj interface))) and execut\$6 near9 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$3)) or (collection adj data) or OLAP) and (databases! or (data adj bases!))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/01 14:40
10	374	bases!)) ((((GUI or (user adj interface) or (graphic\$4 adj user adj interface))) and execut\$6 near9 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$3)) or (collection adj data) or OLAP) and (databases! or (data adj bases!))) and (707/\$.ccls. or 705/\$.ccls. or 345/\$.ccls. or 709/\$.ccls. or 717/\$.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:42

11	54	(((((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:41
'		interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB;	
		(work adj flow))) and ((data adj (mining or warehous\$3)) or	EPO; JPO;	
		(collection adj data) or OLAP) and (databases! or (data adj	DERWENT;	
		bases!))) and (707/\$.ccls. or 705/\$.ccls. or 345/\$.ccls. or	IBM_TDB	
		709/\$.ccls. or 717/\$.ccls.)) and (decision adj making) and		
12	54	(decision near6 (maker or made or making))	LICDAT	2004/06/04 44:44
12	34	(((((GUI or (user adj interface) or (graphic\$4 adj user adj interface))) and execut\$6 near9 (sequence or workflow or	USPAT; US-PGPUB;	2004/06/01 14:41
		(work adj flow))) and ((data adj (mining or warehous\$3)) or	EPO: JPO:	
		(collection adj data) or OLAP) and (databases! or (data adj	DERWENT;	
		bases!))) and (707/\$.ccls. or 705/\$.ccls. or 345/\$.ccls. or	IBM_TDB	
		709/\$.ccls. or 717/\$.ccls.)) and (decision adj making) and	.5	
		(decision near6 (maker or made or mak\$3))		
13	4	((((((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:41
		interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB;	
		(work adj flow))) and ((data adj (mining or warehous\$3)) or	EPO; JPO;	
1		(collection adj data) or OLAP) and (databases! or (data adj	DERWENT;	
		bases!))) and (707/\$.ccls. or 705/\$.ccls. or 345/\$.ccls. or	IBM_TDB	
		709/\$.ccls. or 717/\$.ccls.)) and (decision adj making) and	_	
		(decision near6 (maker or made or mak\$3))) and quer\$5		
		same analy\$6 same distribut\$5		
14	14	((((((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:48
		interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB;	
		(work adj flow))) and ((data adj (mining or warehous\$3)) or	EPO; JPO;	
		(collection adj data) or OLAP) and (databases! or (data adj	DERWENT;	
		bases!))) and (707/\$.ccls. or 705/\$.ccls. or 345/\$.ccls. or	IBM_TDB	
		709/\$.ccls. or 717/\$.ccls.)) and (decision adj making) and (decision near6 (maker or made or mak\$3))) and query and		
		(analyz\$6 and analysis) and (distribution and (distribute or		
		distributed or distributing))		
15	796	(((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:44
"	, , ,	interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB;	2004/00/01 14.44
		(work adj flow))) and ((data adj (mining or warehous\$3 or	EPO; JPO;	
		mart)) or (data near collect\$4) or OLAP) and (databases! or	DERWENT;	
		(data adj bases!))	IBM_TDB	
16	558	((((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:48
		interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB;	
		(work adj flow))) and ((data adj (mining or warehous\$3 or	EPO; JPO;	
		mart)) or (data near collect\$4) or OLAP) and (databases! or	DERWENT;	
		(data adj bases!))) and (707/\$.ccls. or 705/\$.ccls. or	IBM_TDB	
47		345/\$.ccls. or 709/\$.ccls. or 717/\$.ccls.)		
17	79	{	USPAT;	2004/06/01 14:44
		interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB;	
	<u> </u>	(work adj flow))) and ((data adj (mining or warehous\$3 or	EPO; JPO;	
	[mart)) or (data near collect\$4) or OLAP) and (databases! or (data adj bases!))) and (707/\$.ccls. or 705/\$.ccls. or	DERWENT; IBM_TDB	
		(data adj bases:))) and (707/\$.ccis. or 705/\$.ccis. or 345/\$.ccis. or 709/\$.ccis. or 717/\$.ccis.)) and (decision adj	םטו_וייוטו	
	1	making) and (decision near6 (maker or made or making))		
18	79	(((((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:43
		interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB:	200 1/00/01 11:10
		(work adj flow))) and ((data adj (mining or warehous\$3 or	EPO; JPO;	
		mart)) or (data near collect\$4) or OLAP) and (databases! or	DERWENT;	
		(data adj bases!))) and (707/\$.ccls. or 705/\$.ccls. or	IBM_TDB	
		345/\$.ccls. or 709/\$.ccls. or 717/\$.ccls.)) and (decision adj	_	
		making) and (decision near6 (maker or made or making or		
1		make))		
19	29	((((((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:43
		interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB;	
	1	(work adj flow))) and ((data adj (mining or warehous\$3 or	EPO; JPO;	
	1	mart)) or (data near collect\$4) or OLAP) and (databases! or	DERWENT;	
		(data adj bases!))) and (707/\$.ccls. or 705/\$.ccls. or	IBM_TDB	
	1	345/\$.ccls. or 709/\$.ccls. or 717/\$.ccls.)) and (decision adj making) and (decision near6 (maker or made or making or		
		make))) and query and (analyz\$6 and analysis) and		
	1	(distribution and (distribute or distributed or distributing))		
	<u> </u>	(\aligned and \al	1	

20	482	(((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:44
'		interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB;	
		(work adj flow))) and ((data adj (mining or warehous\$3 or mart)) or (collection adj data) or OLAP) and (databases! or	EPO; JPO; DERWENT;	
		(data adj bases!))	IBM TDB	
21	374	((((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:44
		interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB;	
		(work adj flow))) and ((data adj (mining or warehous\$3 or	EPO; JPO;	
		mart)) or (collection adj data) or OLAP) and (databases! or	DERWENT;	
		(data adj bases!))) and (707/\$.ccls. or 705/\$.ccls. or	IBM_TDB	
22	54	345/\$.ccls. or 709/\$.ccls. or 717/\$.ccls.) ((((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:47
	"	interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB;	200-700/01 14.47
		(work adj flow))) and ((data adj (mining or warehous\$3 or	EPO; JPO;	
		mart)) or (collection adj data) or OLAP) and (databases! or	DERWENT;	
		(data adj bases!))) and (707/\$.ccls. or 705/\$.ccls. or	IBM_TDB	
		345/\$.ccls. or 709/\$.ccls. or 717/\$.ccls.)) and (decision adj		
23	54	making) and (decision near6 (maker or made or making)) (((((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:45
	57	interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB;	2004/00/01 14.45
		(work adj flow))) and ((data adj (mining or warehous\$3 or	EPO; JPO;	
		mart)) or (collection adj data) or OLAP) and (databases! or	DERWENT;	
		(data adj bases!))) and (707/\$.ccls. or 705/\$.ccls. or	IBM_TDB	
		345/\$.ccls. or 709/\$.ccls. or 717/\$.ccls.)) and (decision adj		
		making) and (decision near6 (maker or made or making or		
24	14	make)) ((((((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:45
	, ,	interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB;	2004/00/01 14.43
		(work adj flow))) and ((data adj (mining or warehous\$3 or	EPO; JPO;	
		mart)) or (collection adj data) or OLAP) and (databases! or	DERWENT;	
		(data adj bases!))) and (707/\$.ccls. or 705/\$.ccls. or	IBM_TDB	t
		345/\$.ccls. or 709/\$.ccls. or 717/\$.ccls.)) and (decision adj		
		making) and (decision near6 (maker or made or making or make))) and query and (analyz\$6 and analysis) and		
		(distribution and (distribute or distributed or distributing))		
25	14	(((((((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:45
		interface))) and execut\$6 near9 (sequence or workflow or	US-PGPUB;	
		(work adj flow))) and ((data adj (mining or warehous\$3 or	EPO; JPO;	
		mart)) or (collection adj data) or OLAP) and (databases! or	DERWENT;	
		(data adj bases!))) and (707/\$.ccls. or 705/\$.ccls. or 345/\$.ccls. or 709/\$.ccls. or 717/\$.ccls.)) and (decision adj	IBM_TDB	
		making) and (decision near6 (maker or made or making or		
		make))) and query and (analyz\$6 and analysis) and		
		(distribution and (distribute or distributed or distributing))) and	I	
200	040	execut\$6 near9 (sequence or workflow or (work adj flow))		
26	849	((GUI or (user adj interface) or (graphic\$4 adj user adj interface))) and (decision adj making) near4 process	USPAT; US-PGPUB;	2004/06/01 14:47
_		menace))) and (decision adj making) mear4 process	EPO; JPO;	
	}		DERWENT;	
			IBM_TDB	
27	68	(((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:48
		interface))) and (decision adj making) near4 process) and	US-PGPUB;	
		execut\$6 near2 (sequence or workflow or (work adj flow))	EPO; JPO;	
			DERWENT; IBM_TDB	
28	40	((((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:48
		interface))) and (decision adj making) near4 process) and	US-PGPUB;	
		execut\$6 near2 (sequence or workflow or (work adj flow))) an	d EPO; JPO;	
		(707/\$.ccls. or 705/\$.ccls. or 345/\$.ccls. or 709/\$.ccls. or	DERWENT;	
29	7	717/\$.ccls.)	IBM_TDB	2004/06/04 44:54
23	'	(((((GUI or (user adj interface) or (graphic\$4 adj user adj interface))) and (decision adj making) near4 process) and	USPAT; US-PGPUB;	2004/06/01 14:51
		execut\$6 near2 (sequence or workflow or (work adj flow))) and		
		(707/\$.ccls. or 705/\$.ccls. or 345/\$.ccls. or 709/\$.ccls. or	DERWENT;	
		717/\$.ccls.)) and query and (analyz\$6 and analysis) and	IBM_TDB	
		(distribution and (distribute or distributed or distributing))	<u> </u>	

			<u></u> _	
30	13	(((((GUI or (user adj interface) or (graphic\$4 adj user adj	USPAT;	2004/06/01 14:51
,		interface))) and (decision adj making) near4 process) and	US-PGPUB;	
		execut\$6 near2 (sequence or workflow or (work adj flow))) and	EPO; JPO;	
		(707/\$.ccls. or 705/\$.ccls. or 345/\$.ccls. or 709/\$.ccls. or	DERWENT;	
		717/\$.ccls.)) and guer\$5 and (analy\$8) and (distribut\$5)	IBM TDB	

L Number	Hits	Search Text	DB	Time stamp	
1 .	109020	((user adj interface) or GUI or (graphic\$5 adj user adj interface))	USPAT; US-PGPUB; EPO; JPO;	2004/06/01 15:13	
2	38	(((user adj interface) or GUI or (graphic\$5 adj user adj interface))) and executable adj (sequence or workflow or (work adj flow))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/01 15:19	
3	4833	(((user adj interface) or GUI or (graphic\$5 adj user adj interface))) and execut\$6 adj9 (sequence or workflow or (work adj flow))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/01 15:19	
4	4227	(((user adj interface) or GUI or (graphic\$5 adj user adj interface))) and execut\$6 adj5 (sequence or workflow or (work adj flow))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/01 15:19	
5	3489	(((user adj interface) or GUI or (graphic\$5 adj user adj interface))) and execut\$6 adj3 (sequence or workflow or (work adj flow))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/01 15:19	
6	2102	((((user adj interface) or GUI or (graphic\$5 adj user adj interface))) and execut\$6 adj3 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$4 or mart or base)) or (collection adj data) or OLAP or database)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/01 15:20	
7	34	((((((user adj interface) or GUI or (graphic\$5 adj user adj interface))) and execut\$6 adj3 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$4 or mart or base)) or (collection adj data) or OLAP or database)) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/01 15:23	
8	20	decision adj making adj process ((((((user adj interface) or GUI or (graphic\$5 adj user adj interface))) and execut\$6 adj3 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$4 or mart or base)) or (collection adj data) or OLAP or database)) and decision adj making adj process) and (707/\$.ccls. or 705/\$.ccls. or 345/\$.ccls. or 717/\$.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:23	
9	3	1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:23	
10	154	(((((user adj interface) or GUI or (graphic\$5 adj user adj interface))) and execut\$6 adj3 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$4 or mart or base)) or (collection adj data) or OLAP or database)) and decision adj making	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:23	
11	43	((((((user adj interface) or GUI or (graphic\$5 adj user adj interface))) and execut\$6 adj3 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$4 or mart or base)) or (collection adj data) or OLAP or database)) and decision adj making) and encapsulat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:23	
12	19	(((((((user adj interface) or GUI or (graphic\$5 adj user adj interface))) and execut\$6 adj3 (sequence or workflow or (work adj flow))) and ((data adj (mining or warehous\$4 or mart or base)) or (collection adj data) or OLAP or database)) and decision adj making) and encapsulat\$6) and (707/\$.ccls. or 705/\$.ccls. or 345/\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:23	

L Number	Hits	Search Text	DB	Time stamp
1	318715	((data adj (warehous\$3 or mining or base or source)) or database or OLAP)	USPAT; US-PGPUB;	2004/06/01 08:28
			EPO; JPO; DERWENT; IBM_TDB	
2	0	(((data adj (warehous\$3 or mining or base or source)) or database or OLAP)) and query and (analysis and analiz\$4) and (distribution and distriute\$1 or distributing)	USPAT; US-PGPUB; EPO; JPO;	2004/06/01 08:13
3	0	(((data adj (warehous\$3 or mining or base or source)) or	DERWENT; IBM_TDB USPAT;	2004/06/01 08:28
	·	database or OLAP)) and query and (analysis and analiz\$4) and (distribution and distribute\$1 and distributing)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	255-4755/51 55:25
4	14	(((data adj (warehous\$3 or mining or base or source)) or database or OLAP)) and query and (analysis and analiz\$4) and (distribution or distribute\$1 or distributing)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/01 08:11
5	379735	((data adj (warehous\$3 or mining or base or source or collection)) or database or OLAP or (data near collect\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/01 08:12
6	18427	(((data adj (warehous\$3 or mining or base or source or collection)) or database or OLAP or (data near collect\$3))) and query and (analy\$6) and (distribut\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/01 08:13
7	630	(((data adj (warehous\$3 or mining or base or source or collection)) or database or OLAP or (data near collect\$3))) and	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/06/01 08:42
		query same (analy\$6) same (distribut\$4)	EPO; JPO; DERWENT; IBM_TDB	
8	533	((((data adj (warehous\$3 or mining or base or source or collection)) or database or OLAP or (data near collect\$3))) and query same (analy\$6) same (distribut\$4)) and ((decision adj making) or (decision near6 maker or made or making)) and process	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 08:30
9	46	((((data adj (warehous\$3 or mining or base or source or collection)) or database or OLAP or (data near collect\$3))) and query same (analy\$6) same (distribut\$4)) and ((decision adj making) and (decision adj6 (maker or made or making))) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/01 08:16
10	21	process (((((data adj (warehous\$3 or mining or base or source or collection)) or database or OLAP or (data near collect\$3))) and query same (analy\$6) same (distribut\$4)) and ((decision adj making) and (decision adj6 (maker or made or making))) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/01 08:27
11	19	process) and 707/\$.ccls. ((((((data adj (warehous\$3 or mining or base or source or collection)) or database or OLAP or (data near collect\$3))) and query same (analy\$6) same (distribut\$4)) and ((decision adj	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/01 08:22
13	1	making) and (decision adj6 (maker or made or making))) and process) and 707/\$.ccls.) and (GUI or (user adj interface) or (graphic\$4 adj user adj interface)) (((((((data adj (warehous\$3 or mining or base or source or	DERWENT; IBM_TDB USPAT;	2004/06/01 08:25
		collection)) or database or OLAP or (data near collect\$3))) and query same (analy\$6) same (distribut\$4)) and ((decision adj making) and (decision adj6 (maker or made or making))) and	US-PGPUB; EPO; JPO; DERWENT;	
		process) and 707/\$.ccls.) and (GUI or (user adj interface) or (graphic\$4 adj user adj interface))) and ((web adj (page or site or browser\$3)) or webpage or website) and (email or e-mail) and ((markup adj language) or XML or HTML or SGML)	IBM_TDB	

14	1	(((((((data adj (warehous\$3 or mining or base or source or collection)) or database or OLAP or (data near collect\$3))) and	USPAT; US-PGPUB;	2004/06/01 08:25
		query same (analy\$6) same (distribut\$4)) and ((decision adj	EPO; JPO;	
ļ		making) and (decision adj6 (maker or made or making))) and	DERWENT;	
		process) and 707/\$.ccls.) and (GUI or (user adj interface) or (graphic\$4 adj user adj interface))) and ((web adj (page or site	IBM_TDB	
		or browser\$3)) or webpage or website) and (email or e-mail or		
	1	(electronic\$3 adj (mail or message or documet))) and		
		((markup adj language) or XML or HTML or SGML)		
15	8	(((((data adj (warehous\$3 or mining or base or source or	USPAT;	2004/06/01 08:26
		collection)) or database or OLAP or (data near collect\$3))) and query same (analy\$6) same (distribut\$4)) and ((decision adj	US-PGPUB; EPO; JPO;	
		making) and (decision adj6 (maker or made or making))) and	DERWENT:	
		process) and ((web adj (page or site or browser\$3)) or	IBM_TDB	
		webpage or website) and (email or e-mail) and ((markup adj		
16	51	language) or XML or HTML or SGML) (((((data adj (warehous\$3 or mining or base or source or	LICDAT	2004/06/04 09:26
10	31	collection)) or database or OLAP or (data near collect\$3))) and	USPAT; US-PGPUB;	2004/06/01 08:26
		query same (analy\$6) same (distribut\$4)) and ((decision adj	EPO; JPO;	
		making) or (decision near6 maker or made or making)) and	DERWENT;	
		process) and ((web adj (page or site or browser\$3)) or	IBM_TDB	
		webpage or website) and (email or e-mail) and ((markup adj language) or XML or HTML or SGML)		
17	11	((((((data adj (warehous\$3 or mining or base or source or	USPAT;	2004/06/01 08:27
		collection)) or database or OLAP or (data near collect\$3))) and	US-PGPUB;	
		query same (analy\$6) same (distribut\$4)) and ((decision adj	EPO; JPO;	
		making) or (decision near6 maker or made or making)) and process) and ((web adj (page or site or browser\$3)) or	DERWENT; IBM_TDB	
		webpage or website) and (email or e-mail) and ((markup adj	I IDIVI_I DB	
		language) or XML or HTML or SGML)) and 707/\$.ccls.		
18	6240	((data adj (warehous\$3 or mining)) or OLAP)	USPAT;	2004/06/01 08:28
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
19	0	(((data adj (warehous\$3 or mining)) or OLAP)) and (query and	USPAT;	2004/06/01 08:29
		querying) and (analysis and analiz\$4) and (distribution and distribute\$1 and distributing)	US-PGPUB; EPO; JPO;	
		and distributing)	DERWENT;	
			IBM_TDB	
20	0	(((data adj (warehous\$3 or mining)) or OLAP)) and (query) and	USPAT;	2004/06/01 08:29
		(analysis and analiz\$4) and (distribution and distribute\$1 and distributing)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
21	0	(query) and (analysis and analiz\$4) and (distribution and	USPAT;	2004/06/01 08:30
		distribute\$1 and distributing)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
22	1291	(query) and (analysis and analyz\$4) and (distribution and	USPAT;	2004/06/01 08:30
		distribute\$1 and distributing)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
23	244	(((data adj (warehous\$3 or mining)) or OLAP)) and ((query)	USPAT;	2004/06/01 08:30
		and (analysis and analyz\$4) and (distribution and distribute\$1 and distributing))	US-PGPUB;	
		and distributing/ /	EPO; JPO; DERWENT;	
			IBM_TDB	
24	39	((((data adj (warehous\$3 or mining)) or OLAP)) and ((query)	USPAT;	2004/06/01 08:31
]	and (analysis and analyz\$4) and (distribution and distribute\$1	US-PGPUB;	
		and distributing))) and ((decision adj making) and (decision near6 (maker or made or making))) and process	EPO; JPO; DERWENT;	
			IBM_TDB	·

25	3	(((((data adj (warehous\$3 or mining)) or OLAP)) and ((query)	USPAT;	2004/06/01 08:42
		and (analysis and analyz\$4) and (distribution and distribute\$1	US-PGPUB;	
		and distributing))) and ((decision adj making) and (decision	EPO; JPO;	
		near6 (maker or made or making))) and process) and guer\$5	DERWENT:	
		same (analy\$6) same (distribut\$4)	IBM TDB	